



# HVAC TAPES





# HVAC Tape Products

Manufactured by IPG® in the USA for the HVAC Market

Intertape Polymer Group® offers a complete line of products specifically engineered to meet the most stringent requirements of the HVAC industry. From our dead soft aluminum foil tapes and metallized film tapes to our extensive industrial tape and films product offering, IPG® has your solution!



Get more info  
about IPG's HVAC  
Industry Products



## FEATURES & BENEFITS

- Products engineered for a wide range of applications and environments
- UL-listed products to meet building and construction codes
- Water, smoke and mold-resistant products
- Moisture barrier products for use on foil jacketing insulation
- IPG® HVAC products can help increase efficiency and meet sustainability goals by minimizing air distribution loss

Tape properties available online at [www.itape.com](http://www.itape.com)



## LEED® Contributions for Low Volatile Organic Compounds (VOC)



Leadership in Energy & Environmental Design (LEED®) is a rating system based on points accumulated across six categories: Sustainable Sites, Energy & Atmosphere, Materials & Resources, Indoor Environmental Quality, Water Efficiency, and Innovation. IPG® products with the **Low VOC Level 2** icon can help contribute towards points in LEED® building projects for two of these categories; “Energy & Atmosphere” and “Indoor Environmental Quality” standards. These products can help increase the overall energy efficiency of a building with products containing low to zero VOC. Look for the **Low VOC Level 1** icon for IPG® products that can help contribute towards points in one category; “Indoor Environmental Quality” standards.

# UL-Listed HVAC Tapes



## AC698 UL181 FILM TAPE *UL 181B-FX LISTED*

Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/ Pack	Rolls/ Case
4140 (black)	1.88in x 120yds	48mm x 109.7m	0-77922-84140-0	89307	1	24
4140-B (black)	1.88in x 120yds	48mm x 109.7m	0-77922-99604-9	99604	1	12
4141 (metalized)	1.88in x 120yds	48mm x 109.7m	0-77922-84141-7	89306	1	24
4141-B (metalized)	1.88in x 120yds	48mm x 109.7m	0-77922-99603-2	99603	1	12

- Acrylic-based BOPP designed for seaming, closing and repairing flexible ducts
- Superior flexibility allows conformability to a variety of shapes
- Excellent adhesion in a wide range of temperatures, up to 210°F
- UL markings printed on the tape for easy identification
- Hand tears, no dispenser needed
- UV resistant
- Mold resistant



## AC50UL DUCTape *PREMIUM 14 MIL DUCT UL 181B-FX LISTED*

Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/ Pack	Rolls/ Case	Color
AC50ULS	1.88in x 60yds	48mm x 54.8m	0-77922-99521-9	99521	1	24	Silver
AC50ULB	1.88in x 60yds	48mm x 54.8m	0-77922-99522-6	99522	1	24	Black
AC50UL48M	1.88in x 60yds	48mm x 54.8m	0-77922-99520-2	99540	1	24	Metallic
AC50ULS-B	1.88in x 60yds	48mm x 54.8m	0-77922-99609-4	99609	1	8	Silver

- Easy tear straight across or down without curling
- Operates in temperatures up to 200°F
- Resistant to flame spread, smoke generation, mold growth and humidity



## UL181 *ALUMINUM FOIL TAPE 2 MIL UL 181A-P/B-FX LISTED*

Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/ Pack	Rolls/ Case
5010-B	2.5in x 60yds	63.5mm x 54.8m	0-87143-00222-1	99607	1	12
5011	3in x 60yds	76.2mm x 54.8m	0-77922-00115-6	ALF201LUL360HR	1	16

- Designed to be used on duct board and flexible duct systems where UL181A-P and UL181B-FX standards are required
- Cold weather adhesive that works great in extreme temperatures
- Printed in red for easy identification

### MEMBER:

- ACCA (Air Conditioning Contractors of America)
- ADC (Air Diffusion Council)
- HARDI (Heating, Air-conditioning & Refrigeration Distributors International)
- IAQA (Indoor Air Quality Association)

- ICC (International Code Council)
- IHACI (Institute of Heating & Air Conditioning Industries, Inc.)
- PSTC (Pressure Sensitive Tape Council)



# HVAC Foil Tapes



## ALF175L COLD WEATHER ALUMINUM FOIL TAPE WITH LINER



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case
9502-B	2.0in x 50yds	50.9mm x 45.7m	0-77922-00123-1	99606	1	12
9503	3.0in x 50yds	76.2mm x 45.7m	0-77922-00124-8	ALF175L0350HR	1	16

- Cold weather acrylic tape for seaming, patching and sealing
- Vapor barrier integrity, flame retardance, high shear adhesion, UV resistance, and superior bonding in subzero or elevated temperatures
- For use in Industrial and HVAC applications
- Tested in accordance with UL-723 (ASTM E-84)



## ALF150L GENERAL PURPOSE ALUMINUM FOIL TAPE WITH LINER



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case
9202-B	2.0in x 50yds	50.8mm x 45.7m	0-77922-76193-7	99605	1	12
9203	3.0in x 50yds	76.2mm x 45.7m	0-77922-77113-4	77113	1	16
5677	4.0in x 50yds	101.6mm x 45.7m	0-77922-85677-0	5677	1	12

- Dead soft aluminum foil tape for seaming and sealing fiberglass duct board and duct wrap
- High tack rubber based adhesive
- Recommended minimum application temperature 40°F (4°C)
- Shiny aluminum backing offers excellent reflective properties (i.e. heat, light)
- Tested in accordance with UL-723 (ASTM E-84)



## FSK JACKETING TAPE FOIL-SCRIM INSULATION TAPE



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case
FSK3-HC	2.95in x 50yds	75mm x 45.72m	0-77922-99712-1	99712	1	12

- Engineered to seam/seal FSK duct board and insulation to enhance appearance and maintain vapor barrier integrity
- Aggressive acrylic pressure-sensitive adhesive provides long-lasting adhesion to clean/dry surfaces
- Full bond within 24 hours
- Remains flexible to resist cracking and lifting
- Resistant to mold and mildew
- Release coated kraft liner
- Tested in accordance with UL-723 (ASTM E-84)



## ALF MASTIC SPECIALTY BUTYL MASTIC FOIL TAPE



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Units/Pack	Units/Case
MF2100	1.88in x 100ft	48mm x 30.4m	0-77922-99631-5	99631	1	12
MF3100	2.88in x 100ft	73mm x 30.4m	0-77922-99632-2	99632	1	12

- High tack, low VOC 17 mil aluminum 'mastic' foil tape coated with a pressure-sensitive, modified butyl rubber adhesive
- Provides an instant waterproof grip to a variety of surfaces and providing full bond within 24 hours
- Excellent flexibility, no cracking, highly resistant to the effects of weather, UV, temperature, mold and mildew
- LEED points contributor
- Easy release liner
- Tested in accordance with UL-723 (ASTM E-84)

# HVAC Cloth Duct Tapes



## AC49 MEDIUM 11 MIL METALIZED DUCT (UL-723 RATED)



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/ Pack	Rolls/ Case
AC4948	1.88in x 60yds	48mm x 54.8m	0-77922-82764-0	82764	1	24

- Metalized PE film applied to high tensile cloth with an aggressive pressure sensitive natural rubber adhesive
- Designed for applications where a high quality grade of cloth tape is required and the appearance of metalized backing is preferred
- Meets HUD, BOCA and LA County codes
- Tested in accordance with UL 723 (ASTM E-84)



## AC36 MEDIUM 11 MIL DUCT TAPE (UL-723 RATED)



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/ Pack	Rolls/ Case
4137 (silver)	1.88in x 60yds	48mm x 54.8m	0-77922-84137-0	4137	1	24
4382 (black)	1.88in x 60yds	48mm x 54.8m	0-77922-84382-4	4382	1	24
4335	1.88in x 60yds	48mm x 54.8m	0-77922-84335-0	4335	1	24

- The general contractor's duct tape of choice
- PE coated cloth tape with an aggressive system designed to provide exceptional shear strength for demanding applications such as HVAC, abatement, weatherproofing, extermination, flex duct connections and all general maintenance needs
- Meets HUD, BOCA and LA County codes
- Tested in accordance with UL 723 (ASTM E-84)



## AC45 DUCT TAPE MEDIUM 12 MIL DUCT



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/ Pack	Rolls/ Case
4138	1.88in x 60yds	48mm x 54.8m	0-77922-84138-7	4138	1	24

- PE coated cloth film with an aggressive adhesive
- Wide temperature range
- Recommended for use where high adhesion and conformability are required
- Meets HUD and BOCA Codes and LA County codes
- Tested in accordance with UL 723 (ASTM E-84)



## AC50 DUCT TAPE PREMIUM 14 MIL DUCT



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/ Pack	Rolls/ Case
4139	1.88in x 60yds	48mm x 54.8m	0-77922-84139-4	84139	1	24

- High tensile and tear strength
- Maximum performance for sealing heating and air ventilation systems
- Meets HUD, BOCA, and LA County codes
- Tested in accordance with UL 723 (ASTM E-84)




## IRON GRIP™ PREMIUM DUCT TAPE



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/ Pack	Rolls/ Case
IG235	1.88in x 35yds	48mm x 32m	0-77922-99580-6	99580	1	12
IG2PK-A	1.88in x 35yds	48mm x 32m	0-77922-99558-13	99634	2	12

- Tested in accordance with UL 723 (ASTM E-84)
- All-weather, easy unwind, high adhesion
- Professional quality, ultra-tough - 17 mil
- Black

# Tape & Specialty Products



## AC778 PREMIUM BOPP HVAC TAPE

Item Number	Imperial Size	Metric Size	Resource Number	Rolls/ Pack	Rolls/ Case
AC778	1.88in x 60yds	48mm x 54.8m	87789	1	36

- BOPP metallized film tape with acrylic adhesive for superior sealing, protecting and ease of handling
- Designed for splicing and repairing insulation
- Tested in accordance to UL-723/ASTM E-84



## SHEATHING TAPE

Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/ Pack	Rolls/ Case	Color
5518USW	1.88in x 54.6yds	48mm x 50m	0-77922-85518-6	85518	1	24	White
5561USR	1.88in x 54.6yds	48mm x 50m	0-77922-85561-2	85561	1	24	Red
5563USR	2.83in x 54.6yds	72mm x 50m	0-77922-85563-6	85563	1	16	Red
5560CNDR	2.36in x 72.1yds	60mm x 66m	0-77922-85889-7	91377	1	20	Red/Black (CCMC)
ST3PK	1.88in x 54.6yds	48mm x 50m	0-77922-99653-7	99653	3	24	Red

- Designed for permanent seaming and sealing of joints in foam insulation & housewrap
- Secures lap edges on house wraps and other vapor barriers, repairs rips and tears in roll and batt insulation, construction films and membranes
- Available in white, red, and CCMC certified red



## AC50 SPRAY ADHESIVE



Item Number	Net Weight	Unit UPC	Resource Number	Units/ Pack	Units/ Case
AC 50	12 fluid oz. (.50 liters)	0-77922-82758-9	82758	1	12

- Designed to assist bonding to several surfaces, which include wood, concrete and sheet metal
- Contains no methyl chloride or CFCs
- 41 PSI shear strength
- Fast tack pressure sensitive adhesive
- Not intended for use in California



## VINYL ELECTRICAL TAPE 7 MIL MEDIUM GRADE

Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/ Case
607	.75in x 66ft	19mm x 20.1m	0-77922-85515-5	85835	10/20	120

- Black vinyl electrical insulating tape consisting of a soft "plasticized" stabilized PVC film coated with a non-corrosive rubber based adhesive
- For use in general purpose maintenance and repair
- CSA and UL listed
- Good dielectric strength
- Temperature range is 0°C to 80°C; lead free



## PRO-MASK BLUE® DESIGNER 14-DAY PAINTERS TAPE

Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/ Pack	Rolls/ Case
PMD48	1.88in x 60yds	48mm x 54.8m	0-77922-99557-8	99557	1	16

- Provides 14-day UV resistance
- Removes cleanly from painted walls, trim, glass and metal

# Tape & Specialty Products



## THREADSEAL TAPE

Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Pack	Rolls/Case
11 1/2X260	0.5in x 260in	12.7mm x 6.6m	0-77922-85740-1	11 1/2X260	200/6	1200
11 1/2X520	0.5in x 520in	12.7mm x 13.2m	0-77922-85738-8	11 1/2X520	200/6	1200

- Made of chemically inert material; withstands alkalis, acids, oils and solvents
- Use on iron, stainless steel, copper, brass, plastic, glass or rubber pipes
- Has a temperature resistance of -400°F to 700°F



## GAFFERS TAPE



Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Case	Color
GT4850B	1.88in x 54.7yds	48mm x 50m	0-77922-99736-7	99736	24	Black

- Cloth tape for bundling and holding wires and cables in place
- Non-reflective matte finish
- Hand tearable and conforms to irregular surfaces
- Weather and abrasion resistant
- Special adhesive for clean removal



## 8100 CARTON SEALING TAPE

Imperial Size	Metric Size	Roll Type	Case UPC	Resource Number	Rolls/Case
1.88in x 109.3yds	58mm x 100m	Hand	500-35694415002	F4150	36

- Hot melt BOPP carton sealing tape for medium to heavy weight usage, manual or automatic box sealing, package repair, bundling, and packages exposed to normal shipping hazards and stress.



## HAND WRAP STRETCH FILM

Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Gauge	Rolls/Pack	Rolls/Case
4349	20in x 1000ft	508mm x 304.8m	0-77922-84349-7	HG2032000-RT	80	1	4
SF1515MA	15in x 1500ft	381mm x 457m	0-77394-91205-5	SF1515MA	80	1	4
SF1815MA	18in x 1500ft	457mm x 457m	0-77394-91168-4	SF1815MA	80	1	4
4349DIS	20in x 1000ft	508mm x 304.8m	5-00779-22994-194	99419	80	9	9
<b>With Brake Handle</b>							
2010BH	20in x 1000ft	508mm x 304.8m	0-77922-99583-7	99583	80	1	4

- Great for wrapping items in groupings
- Sticks only to itself



## RG300 REINFORCED STRAPPING TAPE

Item Number	Imperial Size	Metric Size	Unit UPC	Resource Number	Rolls/Case
9716	.94in X 60 yds	24mm x 54.8m	0-77922-76192-0	91404	33


- Fiberglass reinforced tape designed for the majority of packaging, palletizing and unitizing applications
- Polypropylene backing and aggressive adhesive provides excellent adhesion strength



i build with

### CORPORATE PROFILE

Intertape Polymer Group® Inc. (IPG®) is a recognized leader in the development, manufacture and sale of a variety of paper and film based pressure-sensitive and water-activated tapes, polyethylene and specialized polyolefin films, woven coated fabrics and complementary packaging systems for industrial and retail use. Headquartered in Montreal, Quebec and Sarasota, Florida, the Company employs approximately 2,200 employees with operations in 17 locations, including 11 manufacturing facilities in North America, one in Europe and one in India.



NORTH AMERICA

- 1. Ansonia, CT ●▲
- 2. Blythewood, SC ●
- 3. Brighton, CO ●
- 4. Carbondale, IL ●
- 5. Danville, VA ●▲
- 6. Delta, British Columbia ●▲
- 7. Marysville, MI ●

NORTH AMERICA

- 8. Menasha, WI ●
- 9. Montreal, Quebec ★
- 10. Rancho Cucamonga, CA ▲
- 11. Sarasota, FL ☆
- 12. Tampa, FL ●▲
- 13. Tremonton, UT ●
- 14. Truro, Nova Scotia ●

ASIA EUROPE

- 15. Flensburg, Germany ▲
- 16. Porto, Portugal ●▲
- 17. Daman, India ●▲

- Manufacturing
- ▲ Distribution
- ★ Corporate Headquarters
- ☆ Executive Headquarters

888-898-7834

www.itape.com | Tech Help: 877-447-4832 | info@itape.com

